

2 1	
Product number: IN-211	4
	н
	G
	F
	<u> </u>
	E
v)	
	D
PAT.NO.:	(IIII)
PAT.NO.:	C
Michael 1020	arker
PRODUITS DE SERVICE PUBLICS INNOVA IN INNOVA PUBLIC UTILITY PRODUCTS INC.	EC
INNOVA PUBLIC UTILITY PRODUCTS INC. © 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUC	
(hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada a international treaties and agreements regarding copyrights. Violators are subject to prosecut and other legal recourses for infringement. Any reproduction, adaptation or other use or disclo whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbid	ion
and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-C QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed i any way either without the prior written approval of INNOVA».	0732
WEIGHT:	
23.0 Lb 76mm (3") Flush Floor Adapt	er
10.4 Kg	Bev A
COLOR: Material: SHEET(S): PROJET: Zinc Steel 1 / 4 IN-2114	
Plated 174 IIN-2112 2 1	
· – · · ·	



Product number:

2

IN-2114

1

			н		
e *	Sandwich	Example *			
(8.00")	To be determined by the local engineer	152 mm (6.00")	G		
(6.00")	To be determined by the local engineer	152 mm (6.00")			
(6.00")	N / A	N / A	F		
(4 451 lbf)	19,8 kN (4 451 lbf)	19,8 kN (4 451 lbf)			
ו lbf•in)	9,8 kN•m (86 400 lbf•in)	9,8 kN•m (86 400 lbf•in)	E		
(5 000 lbf)	22,3 kN (5 000 lbf)	22,3 kN (5 000 lbf)			

F	PAT.NO.:			Michael Parket 2023-12-18 er 00251 0026EC	All HILLING	С
		DUITS DE SERVICE NNOVA PUBLIC UTILI		INNOVA INC.		
	© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC., (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbidden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA annot be used nor disclosed in any way either without the prior written approval of INNOVA».			В		
١	NEIGHT:	TITLE:				
2	23.0 Lb	76mm (3")	Flush F	loor Adapter		
1	10.4 Kg					
C	COLOR:	Material:	SHEET(S):	PROJET:	Rev.	Α
1 -	Zinc Plated	Steel	2/4	IN-2114	05	
		2		1		•



	2		1	_
	Product number: IN-2114			
15				н
	Full thickness	Sandw	ich	
.)	Refer to fastener manufacturer specifications		determined local engineer	G
ce	Refer to fastener manufacturer specifications		determined local engineer	
	Refer to fastener manufacturer specifications	N/A		F
gth	16,1 kN (3 619 lbf)	16,1 ki	N (3 619 lbf)	
e	7,9 kN•m (69 921 lbf•in)	7,9 kN•m (69 921 lbf•in)		E
l e	13,0 kN (2 923 lbf)	13,0 ki	N (2 923 lbf)	
of the local engineer to assure installation compliance. (4" (M20) minimum \emptyset stainless steel anchors. (be validated by the local engineer. (st be approved by the local engineer. (9,5mm).				
PAT.NO.:				С

			1		
PAT.NO.	<u>.</u>			A LINE CONTRACTOR	с
	DUITS DE SERVICE		S INNOVA INC.		
I	NNOVA PUBLIC UTIL	ITY PROL	DUCTS INC.		
© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC., (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, stirtly forbilden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed in any way either without the prior written approval of INNOVA».				•9	В
WEIGHT:	TITLE:				
23.0 Lb	76mm (3")	Flush F	loor Adapter		
10.4 Kg					
COLOR:	Material:	SHEET(S):	PROJET:	Rev.	A
Zinc Plated	Steel	3/4	IN-2114	05	
	2		1		•

SPECIFICATIONS This adapter is only to be used in conjunction with a personal fall arrest system (PFAS) that limits the maximum arrest force (MAF) to 6,0 KN. Working load limit (WLL): 164 kg (360 lb) Maximum design moment: 1,0 kN. (360 lb) Maximum design moment: 1,0 kN. (360 lb) Maximum design moment: 1,0 kN.m (8 640 lb/in) STANDARDS Name Classification Year Users ANSI Z369.1 2007 1 (367 A259.2.1) 1998 1 CSRA 219.0.66 AppC 1		8	7	6	5	4	3
This adapter is only to be used in conjunction with a personal fall arrest system (PFAS) that limits the maximum arrest force (MAF) to 6,0 kN. Working load limit (WLL): 164 kg (360 lb) Minimum breaking strength: 10 kN m (3 600 lb) Maximum design moment: 1,0 kN-m (8 640 lbfin) Maximum design moment: 9,8 kN-m (8 640 lbfin) Maximum design moment: 9,8 kN-m (8 640 lbfin) STANDARDS Name Classification Year Users ANSI Z359.1 2007 1 CSA 2259.2.1 1998 1 GSH 41910.66 AppC 1 1 2013 2 1 TS 16415 (1) A 2012 1 1 1 Velding certification : Steel 44W Surface finish : Finish clear Zinc plated ASTM B-633-13, Type V, SC 3 Welding certification : Steel 44W Surface finish : Finish clear Zinc plated ASTM B-633-13, Type V, SC 3 Welding certification : Steel : CSA W59.18 / CSA W47.1 C RESTRICTIONS This equipment is to be used only with products approved by Innova Public Utility Products Inc. This equipment must always be operated on a level surface. Ensure that all hardwares and connecting pins are pro		SPECIFICATIONS					
Inimum breaking strength : 16,0 kN (3 600 ibf) Maximum working moment : 10,0 kN (8 6400 lbf-in) Maximum design moment : 9,8 kN-m (86 400 lbf-in) STANDARDS Name Classification Year Users ANSI Z359.1 2007 1 CSA Z259.2.1 100 kN-m OSHA 1910.66 AppC 1 100 kN-m 100 kN-m 100 kN-m OSHA 1910.66 AppC 1 2012 1 100 kN-m 100 kN-m OSHA 1910.66 AppC 1 2013 2 100 kN-m 100 kN-m 100 kN-m OSHA 1910.66 AppC 1 2013 2 100 kN-m	Н			n with a personal fall	arrest system (PFAS) tł	nat limits	
Name Classification Year Users ANSI 2359.1 2007 1 CSA 2259.2.1 1998 1 OSHA 1910.66 AppC 1 EN 795 (1) A 2012 1 TS 16415 (1) 2013 2 (1) This equipment is not covered by the EN 795 and TS 16415 standards , but it can be used with an XTIRPA personal protective equipment (PPE). MATERIAL AND CONSTRUCTION D Structure : Steel 44W Surface finish : Finish clear Zinc plated ASTM B-633-13, Type V, SC 3 Welding certification : Steel : CSA W59.18 / CSA W47.1 c RESTRICTIONS This equipment is to be used only with products approved by Innova Public Utility Products Inc. a This equipment must always be operated on a level surface. Ensure that all hardwares and connecting pins are properly installed before use. In the occurence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse.	G	Minimum breaking stren Maximum working mor	ngth: nent:	16,0 kN 1,0 kN∙m	(3 600 ĺbf) (8 640 lbf•in)		
F ANSI Z359.1 2007 1 CSA Z259.2.1 1998 1 CSHA 1910.66 AppC 1 EN 795 (1) A 2012 TS 16415 (1) 2013 2 (1) This equipment is not covered by the EN 795 and TS 16415 standards , but it can be used with an XTIRPA personal protective equipment (PPE). Image: Comparison of Co		STANDARDS					
ANSI 2359.1 2007 1 CSA 2259.2.1 1998 1 OSHA 1910.66 AppC 1 EN 795 (1) A 2012 1 TS 16415 (1) 2013 2 (1) This equipment is not covered by the EN 795 and TS 16415 standards , but it can be used with an XTIRPA personal protective equipment (PPE). MATERIAL AND CONSTRUCTION D Structure : Steel 44W Surface finish : Finish clear Zinc plated ASTM B-633-13, Type V, SC 3 Welding certification : Steel : CSA W59.18 / CSA W47.1 C RESTRICTIONS This equipment is to be used only with products approved by Innova Public Utility Products Inc. This equipment must always be operated on a level surface. Ensure that all hardwares and connecting pins are properly installed before use. In the occurence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse.		Name	Classification	Year	Users		
 EN 795 (1) A 2012 1 TS 16415 (1) 2013 2 (1) This equipment is not covered by the EN 795 and TS 16415 standards , but it can be used with an XTIRPA personal protective equipment (PPE). MATERIAL AND CONSTRUCTION Structure : Steel 44W Surface finish : Finish clear Zinc plated ASTM B-633-13, Type V, SC 3 Welding certification : Steel : CSA W59.18 / CSA W47.1 RESTRICTIONS This equipment is to be used only with products approved by Innova Public Utility Products Inc. This equipment must always be operated on a level surface. Ensure that all hardwares and connecting pins are properly installed before use. In the occurence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse. 	F	CSA Z259.2.1			1 1 1		
 (1) This equipment is for covered by the EN 793 and T3 18419 standards , but it can be used with an XTIRPA personal protective equipment (PPE). MATERIAL AND CONSTRUCTION Structure : Steel 44W Surface finish : Finish clear Zinc plated ASTM B-633-13, Type V, SC 3 Welding certification : Steel : CSA W59.18 / CSA W47.1 RESTRICTIONS This equipment is to be used only with products approved by Innova Public Utility Products Inc. This equipment must always be operated on a level surface. Ensure that all hardwares and connecting pins are properly installed before use. In the occurrence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse. 		EN 795 (1)	A		1 2		
 ^D Structure : Steel 44W Surface finish : Finish clear Zinc plated ASTM B-633-13, Type V, SC 3 Welding certification : Steel : CSA W59.18 / CSA W47.1 ^C RESTRICTIONS ^{This} equipment is to be used only with products approved by Innova Public Utility Products Inc. ^B This equipment must always be operated on a level surface. ^B Ensure that all hardwares and connecting pins are properly installed before use. In the occurrence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse. 	E				andards , but it can be u	used	
 ^D Structure : Steel 44W Surface finish : Finish clear Zinc plated ASTM B-633-13, Type V, SC 3 Welding certification : Steel : CSA W59.18 / CSA W47.1 ^C RESTRICTIONS ^{This} equipment is to be used only with products approved by Innova Public Utility Products Inc. ^B This equipment must always be operated on a level surface. ^B Ensure that all hardwares and connecting pins are properly installed before use. In the occurrence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse. 							
Structure : Steel 44W Surface finish : Finish clear Zinc plated ASTM B-633-13, Type V, SC 3 Welding certification : Steel : CSA W59.18 / CSA W47.1 c RESTRICTIONS This equipment is to be used only with products approved by Innova Public Utility Products Inc. B This equipment must always be operated on a level surface. Ensure that all hardwares and connecting pins are properly installed before use. In the occurrence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse.	-	MATERIAL AND CONS	TRUCTION				
 RESTRICTIONS This equipment is to be used only with products approved by Innova Public Utility Products Inc. This equipment must always be operated on a level surface. Ensure that all hardwares and connecting pins are properly installed before use. In the occurence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse. 		Surface finish :	Finish clear Zi		33-13, Type V, SC 3		
 This equipment must always be operated on a level surface. Ensure that all hardwares and connecting pins are properly installed before use. In the occurence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse. 	С	RESTRICTIONS					
Ensure that all hardwares and connecting pins are properly installed before use. In the occurence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse.		This equipment is to be	used only with produ	ucts approved by Inno	ova Public Utility Produc	ts Inc.	
In the occurence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse.	В	B This equipment must always be operated on a level surface.					
immediately removed from service and inspected by qualified personnel before reuse.		Ensure that all hardwar	es and connecting pi	ns are properly instal	led before use.		
			•			ust be	
	A						

