




Product number: IN-2482



PAT.NO.:				
PRODUITS DE SERVICE PUBLICS INNOVA INC. INNOVA PUBLIC UTILITY PRODUCTS INC.				
<small>© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC. (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbidden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed in any way either without the prior written approval of INNOVA.</small>				
WEIGHT:	TITLE:			
50.0 Lb	76mm (3") Shoring Adapter			
22.7 Kg	51mm-267mm (2"-10-1/2")			
COLOR:	Material:	SHEET(S):	PROJET:	Rev.
	Aluminum Steel	1 / 4	IN-2482	03

8

7

6

5

4

3

2

1


Product number: **IN-2482**

Recommendations:

Concrete must be made of 0,2% gross area rebar reinforced 13,8 MPa (2 000 psi) or better minimum thickness of 178mm (7").


Moment Capacity:  
9,762 N•m (86 400 lbf•in)  
Vertical load: 22,241 N (5 000 lbf).  
N.B. It is the responsibility of the field engineer to assure installation compliance.

Manoeuvring winch with support



A2395-07 Accessory

Fall arrest device with support



IN-2483

241 [9.5]


610 [24.0]

Concrete Wall (Steel, Aluminum and Wood must also meet vertical and moment loadings).




Torque to 34-41 N•m (25-30 lbf•ft)

Hand tighten 34-41 N•m (25-30 lbf•ft)



or




360° typ.



Permissible Working Angle



Permissible Angle of Recuperation

PAT.NO.:				
PRODUITS DE SERVICE PUBLICS INNOVA INC. INNOVA PUBLIC UTILITY PRODUCTS INC.				
<small>© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC. (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbidden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed in any way either without the prior written approval of INNOVA.</small>				
WEIGHT:	TITLE:			
50.0 Lb	76mm (3") Shoring Adapter			
22.7 Kg	51mm-267mm (2"-10-1/2")			
COLOR:	Material:	SHEET(S):	PROJET:	Rev.
	Aluminum Steel	2 / 4	IN-2482	03

H  
G  
F  
E  
D  
C  
B  
A

H  
G  
F  
E  
D  
C  
B  
A

8

7

6

5

4

3

2

1

**SPECIFICATIONS**

H This equipment is considered as part of a personal fall arrest system (PFAS).  
 It is only to be used in conjunction with a personal fall arrest system that limits the maximum arrest force (MAF) to 6,0 kN.

G Working load limit (WLL) :	164 kg	(360 lb)
Minimum breaking strength :	16,0 kN	(3 600 lbf)
Maximum working moment :	0,6 kN•m	(5 400 lbf•in)
Maximum design moment :	6,1 kN•m	(54 000 lbf•in)

**STANDARDS**

F Name	Classification	Year	Users
ANSI Z359.1 (R1999)		2007	1
CSA Z259.2.1-1998		2011	1
OSHA 1910.66	App. C		1
E EN 795	B	2012	1
TS 16415		2013	2

**MATERIAL AND CONSTRUCTION**

D Structure:	Aluminum / Steel
Welding certification:	CSA W47.2M CSA W59 & 47.1
Surface finish:	Yellow Xtirpa

**RESTRICTIONS**

C This product is to be used only with products approved by Innova Public Utility Products inc.


**IMPORTANT :**

B All adjustment pins shall be used at all times.  
 Always use the product perpendicular to the wall. It is not considered as a permanent structure.


\*\*The positioning pins must always be in place when manoeuvring personnel. Otherwise, serious injuries may occur. Periodic inspections of hardware must be done. In the occurrence of a fall or the safety of the equipment is in doubt, equipment must be immediately removed from service and inspected by qualified personnel before reuse.

A \*\* This equipment must always be operated in a level position.

Product number: **IN-2482**



PAT.NO.:				
PRODUITS DE SERVICE PUBLICS INNOVA INC. INNOVA PUBLIC UTILITY PRODUCTS INC.				
<small>© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC., (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbidden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed in any way either without the prior written approval of INNOVA».</small>				
WEIGHT:	TITLE:			
50.0 Lb	76mm (3") Shoring Adapter			
22.7 Kg	51mm-267mm (2"-10-1/2")			
COLOR:	Material:	SHEET(S):	PROJET:	Rev.
	Aluminum Steel	3 / 4	IN-2482	03



PAT.NO.:				
<b>PRODUITS DE SERVICE PUBLICS INNOVA INC.</b> <b>INNOVA PUBLIC UTILITY PRODUCTS INC.</b>				
<small>© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC., (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbidden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed in any way either without the prior written approval of INNOVA.</small>				
WEIGHT:	TITLE:			
50.0 Lb	76mm (3") Shoring Adapter			
22.7 Kg	51mm-267mm (2"-10-1/2")			
COLOR:	Material:	SHEET(S):	PROJET:	Rev.
	Aluminum Steel	4 / 4	IN-2482	03